




REKORD TECH and REKORD TECH Ø14



LEVELLERS



REKORD TECH





REKORD TECH is a development of the REKORD levellers. REKORD TECH is a concealed leveller to be fixed in the side panels and is suitable for heavy duty wardrobes, bookcases and modular furniture, as well as for flat-pack furniture. It is available in two versions: with rectangular base for side panels with 16mm minimum thickness or with round base for side panels with 18mm minimum thickness. The round base version can be completely embedded by operating a doublediameter hole. REKORD TECH is installed into the bottom edge of the side panel and it is then adjustable through a $\varnothing 6$ mm hole from the inside, by using a S4 mm allen wrench. Even with a loaded cabinet, the adjustment is easy and smooth. REKORD TECH is available in multiple heights, with a maximum adjustment range of 25mm. In any case, all versions grant a capacity loading of 400 Kg each.

400 kg per piece



REKORD TECH Rectangular base



INSTALLATION




REKORD TECH Round base

INSTALLATION



Standard installation



Suitable for fully embedded installation






ADJUSTMENTS








REKORD TECH H 25 mm

Rectangular base



3030301000




Round base



3030311000




REKORD TECH H 32 mm

Rectangular base



3030302000

Round base





3030312000



REKORD TECH H 44 mm


Rectangular base



ST

ZA



EP



3030303000




Round base



ST

ZA

EP





3030313000



REKORD TECH H 52 mm


Rectangular base



ST

ZA

EP





3030304000







Round base





REKORD TECH H 70 mm

Rectangular base





Round base







REKORD TECH H 100 mm

Rectangular base




Round base






REKORD TECH H 120 mm

Rectangular base



	= S4		= 100 pcs.
ST	ZA	EP	
3030307000			


Round base



	= S4		= 100 pcs.
ST	ZA	EP	
3030317000			



REKORD TECH ACCESSORY




 = Ø 8 mm + 

 EP  = 5.000 pcs.


  |

23002010AB

DRILL BITS FOR REKORD TECH



HSS	 = on request			
			Rekord Tech version	
3030151000	70	50	H 25	H 32
3030158000	78	98	H 44	H 52
3030159000	96	116	H 70	
3030153000	122	142	H 100	
3030152000	146	166	H 120	




HSS  = on request

  |

1145202000





DRILLING JIG FOR REKORD TECH









18 - 30 mm






GENERAL SPECIFICATIONS



SETTINGS FOR DIFFERENT REKORD TECH VERSIONS




DRILLING SPACERS FOR OTHER PANEL THICKNESSES





REKORD TECH DRILLING JIG FOR PANEL THICKNESS 18 - 25 mm




AL ST EP

 = on request

Y0JG0122RO

NOTE: The product code includes all the components shown in the picture.

REKORD 12 DRILLING JIG ACCESSORIES



AL

 = on request

Y0JG0511GR



1

Y0JG0512GR

1,5

DRILLING JIG DEPTH STOP COLLARS



ST

 = on request

Y0JG051700




Ø8

Y0JG051900

Ø12

DRILL BIT



HSS

 = on request

Y0JG052800



Ø8



117



Ø8

Y0JG054700

Ø12

205

Ø10

NOTE: For drilling jig we recommend to use precision-



REKORD TECH Ø14




REKORD TECH is a development of the REKORD levellers. REKORD TECH is a concealed leveler to be fixed in the side panels and is suitable for heavy duty wardrobes, bookcases and modular furniture, as well as for flat-pack furniture. It is available in two versions: with rectangular base for side panels with 16mm minimum thickness or with round base for side panels with 18mm minimum thickness. The round base version can be completely embedded by operating a doublediameter hole. REKORD TECH is installed into the bottom edge of the side panel and it is then adjustable through a Ø6 mm hole from the inside, by using a S4 mm allen wrench. Even with a loaded cabinet, the adjustment is easy and smooth. REKORD TECH is available in multiple heights, with a maximum adjustment range of 25mm. In any case, all versions grant a capacity loading of 150 Kg each.


150 kg per piece





SPECIFICATION



INSTALLATION





ADJUSTMENTS






REKORD TECH Ø14 - H 25 mm





3030401000

REKORD TECH Ø14 - H 32 mm



3030402000



REKORD TECH Ø14 - H 44 mm





3030403000



REKORD TECH Ø14 - H 100 mm





REKORD TECH Ø14 - H 120 mm







REKORD TECH Ø14 - H 52 mm





REKORD TECH Ø14 - H 70 mm





REKORD TECH Ø14 ACCESSORY




	= Ø 8 mm	+	
	EP		= 5.000 pcs.
	23002010AB		



SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= HEXAGONAL SOCKET



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET



= FRICTION



= WOOD / GLASS THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= LENGTH



= FLAT HEAD



= STANDARD HINGE



= HEIGHT



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



= LEFT VERSION



= EURO THREAD



= WITH SPRING



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW AND SPREADING BUSH



= SELF ADHESIVE



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS


 ZA = Zinc Alloy	 ST = Steel	 HSS = High Speed Steel	 BR = Brass	 ABS = Acrylonitrile Butadiene Styrene
 ZAnk = Nickel-plated Zinc Alloy	 STzk = Zinc-plated Steel	 AL = Aluminium	 WD = Wood	 EVA = Ethylene Vinyl Acetate

 EP = ENGINEERING PLASTIC	+  EP = other engineering plastic available on request	 SR = SOFT RUBBER	+  SR = other soft rubber available on request
--	---	--	---

 EPn = Natural Engineering Plastic	 EPc = Clear Engineering Plastic	 SRn = Natural Soft Rubber
 EPw = White Engineering Plastic	 EPg = Grey Engineering Plastic	 SRw = White Soft Rubber
 EPb = Black Engineering Plastic	 EPa = Anthracite Engineering Plastic	 SRb = Black Soft Rubber

	FINISHES	+ 	= OTHER FINISHES AVAILABLE ON REQUEST
---	----------	---	---------------------------------------

PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Grey 7	XE	Inox
AA	Natural	IJ	Light Grey	YA	Nickel-plated
AB	White	IL	Grey 20	YC	Matt Nickel-plated
AE	White 9010	IN	Grey met. 26	YD	Satin-finished Nickel-plated
EA	Black	JG	Aluminium 5	YQ	Black Nickel
EC	Matt Black	JL	Aluminium PE 11	Z9	Black Zinc
EE	Anthracite	JM	Aluminium RAL 9006	ZN	Zinc-plated
EW	Grey 9007	KB	Bright Chrome	ZQ	Bright Gold
FU	Gunmetal	KC	Matt Chrome	ZZ	Clear/Transparent
FV	Gunmetal V52	LD	Brown 8019		
GR	Zamak Raw	RO	Red		
HA	Brass-Plated	UT	T-Met 9007		
HH	Tropicalized	UZ	T-Met		
HL	Raw Brass	WA	Bronzed		
HX	Graphite	WI	Burnished		
IA	Grey	XD	Satin-finished Steel		



www.italianaferramenta.com

ITALIANA FERRAMENTA SRL - Viale Europa 17 I - 33070 Brugnara (PN)
Tel. +39 0434 428211 Fax +39 0434 428242 E-mail: info@italianaferramenta.it